

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/622,431	07/21/2003	Tokutaka Miura	03500.017419.	4977	
5514	7590 04/18/2005	EXAMINER			
	CK CELLA HARPER	DONG, DALEI			
30 ROCKEFELLER PLAZA NEW YORK, NY 10112			ART UNIT	PAPER NUMBER	
- · _ · · - · - · - · · · · · · · · · ·		·	2879		
			DATE MAILED: 04/18/2005		

Please find below and/or attached an Office communication concerning this application or proceeding.

					<u> </u>			
		Applica	tion No.	Applicant(s)				
Office Action Summary		10/622	431	MIURA ET AL.				
		Examin	er	Art Unit				
		Dalei D	=	2879				
The Period for Re	ne MAILING DATE of this commun eply	ication appears on t	he cover sheet with the c	orrespondence addre	ess			
THE MAI - Extensions after SIX (I - If the perio - If NO perio - Failure to I Any reply I	TENED STATUTORY PERIOD F LING DATE OF THIS COMMUN s of time may be available under the provisions 6) MONTHS from the mailing date of this common d for reply specified above is less than thirty do for reply is specified above, the maximum state reply within the set or extended period for reply received by the Office later than three months tent term adjustment. See 37 CFR 1.704(b).	ICATION. of 37 CFR 1.136(a). In no nunication. 0) days, a reply within the s atutory period will apply and will, by statute, cause the a	event, however, may a reply be tin tatutory minimum of thirty (30) day will expire SIX (6) MONTHS from pplication to become ABANDONE	nely filed vs will be considered timely. In the mailing date of this common (1) (35 U.S.C. § 133).	nunication.			
Status								
1)⊠ Res	sponsive to communication(s) file	ed on <i>21 July 2003</i> .						
•	This action is FINAL . 2b)⊠ This action is non-final.							
3)☐ Sin								
Disposition	of Claims			•				
4a) 5)□ Cla 6)⊠ Cla 7)□ Cla	Claim(s) 1-9 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. Claim(s) is/are allowed. Claim(s) 1-9 is/are rejected. Claim(s) is/are objected to. Claim(s) is/are subject to restriction and/or election requirement.							
Application	Papers		•					
10)⊠ The App Rep	specification is objected to by the drawing(s) filed on 21 July 2003 plicant may not request that any objected to athor or declaration is objected to	is/are: a) accepction to the drawing(s the correction is req) be held in abeyance. Se uired if the drawing(s) is ob	e 37 CFR 1.85(a). ojected to. See 37 CFR				
Priority unde	er 35 U.S.C. § 119							
12)⊠ Ack a)⊠ A 1.∑ 2.[3.[nowledgment is made of a claim II b)☐ Some * c)☐ None of: ☐ Certified copies of the priority	documents have b documents have b of the priority docu onal Bureau (PCT R	een received. een received in Applicat ments have been receiv tule 17.2(a)).	ion No ed in this National Sta	age			
Attachment(s)								
1) Notice of 2) Notice of	References Cited (PTO-892) Draftsperson's Patent Drawing Review (I on Disclosure Statement(s) (PTO-1449 o		4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal I		52)			
	(s)/Mail Date <u>11/13/2003</u> .		6) Other:	,				

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 1, 4, 6 and 8 are rejected under 35 U.S.C. 102(b) as being anticipated by U.S. Patent No. 6,409,562 to Asano.

Regarding to claim 1, Asano discloses in Figures 4 and 15, a recycling method for an image display apparatus including a vacuum container (albeit, the plasma display panel is charged with rare gas, however, it is still at a very low pressure and thus Examiner interprets the very low-pressure environment as vacuum) structured by sealing a front panel (2) and a rear panel (1) with a supporting frame (22) at a predetermined interval, the front panel (2) having an electrode (8) and a phosphor (10) that serve to display an image, the rear panel (1) having an electron emitter (5 and 7) for emitting electrons (see column 3, lines 31-56), the method comprising: separating the rear panel (1) from the vacuum container (see column 7, lines 43-56); recovering the electron emitter (5 and 7) on the rear panel (1) (see column 7, line 66 to column 8, line 13); and sealing again the rear panel (1) with the front panel (2) to thereby reconstruct the vacuum container (see column 8, lines 42-47).

Application/Control Number: 10/622,431

Art Unit: 2879

Regarding to claim 4, Asano discloses in Figures 4 and 15, the recovering the electron emitters (5 and 7) includes placing with a hermetic atmosphere the electron emitter on the rear panel separated from the vacuum container and energizing the electron emitter (see column 8, lines 13-22).

Page 3

Regarding to claim 6, Asano discloses in Figures 4 and 15, a manufacturing method for an image display apparatus including a vacuum container (albeit, the plasma display panel is charged with rare gas, however, it is still at a very low pressure and thus Examiner interprets the very low-pressure environment as vacuum) structured by sealing a front panel (2) and a rear panel (1) with a supporting frame (22) at a predetermined interval, the front panel (2) having an electrode (8) and a phosphor (10) that serve to display an image, the rear panel (1) having an electron emitter (5 and 7) for emitting electrons (see column 3, lines 31-56), the method comprising: separating the rear panel (1) from the vacuum container (see column 7, lines 43-56); recovering the electron emitter (5 and 7) on the rear panel (1) (see column 7, line 66 to column 8, line 13); and sealing again the rear panel (1) with the front panel (2) having the electrode (8) and the phosphor (10) that serve to display an image to thereby reconstruct the vacuum container (see column 8, lines 42-47).

Regarding to claim 8, Asano discloses in Figures 4 and 15, the recovering the electron emitters (5 and 7) includes placing with a hermetic atmosphere the electron

Art Unit: 2879

emitter on the rear panel separated from the vacuum container and energizing the electron emitter (see column 8, lines 13-22).

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 2, 3 and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,409,562 to Asano in view of U.S. Patent No. 6,036,567 to Watkins.

Regarding to claim 2, Asano discloses in Figures 4 and 15, a recycling method for an image display apparatus including a vacuum container (albeit, the plasma display panel is charged with rare gas, however, it is still at a very low pressure and thus Examiner interprets the very low-pressure environment as vacuum) structured by sealing a front panel (2) and a rear panel (1) with a supporting frame (22) at a predetermined interval, the front panel (2) having an electrode (8) and a phosphor (10) that serve to display an image, the rear panel (1) having an electron emitter (5 and 7) for emitting electrons (see column 3, lines 31-56), the method comprising: separating the rear panel (1) from the vacuum container (see column 7, lines 43-56); recovering the electron emitter on the rear panel (1) (see column 7, line 66 to column 8, line 13); and sealing

again the rear panel (1) with the front panel (2) to thereby reconstruct the vacuum container (see column 8, lines 42-47).

However, Asano does not disclose the adhesive material is a low melting point metal.

The Watkins reference teaches in Figure 3, a recycling method for an image display apparatus including: an adhesive material (16) is a low melting point metal (see column 3, lines 25-33) for the purpose of reliably and easily bringing together the front and back panel for the purpose of reliably and easily brining together the front and back panel.

It would have been obvious to one having ordinary skill in the art a the time the invention was made to have utilize the low-melting metal adhesive of Watkins for the image display apparatus of Asano in order to reliably and easily bringing together the front and back panel.

Regarding to claim 3, Watkins teaches a main component of the adhesive material is indium (see column 3, lines 25-33) and the motivation to combine is the same as above.

Regarding to claim 7, Watkins teaches in Figure 3, an adhesive material (16) is a low melting point metal (see column 3, lines 25-33) for the purpose of reliably and easily bringing together the front and back panel and the reason to combine is the same as above.

Page 6

6. Claims 5 and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,409,562 to Asano in view of U.S. Patent No. 5,605,483 to Takeda.

Regarding to claim 5, Asano discloses in Figures 4 and 15, a recycling method for an image display apparatus including a vacuum container (albeit, the plasma display panel is charged with rare gas, however, it is still at a very low pressure and thus

Examiner interprets the very low-pressure environment as vacuum) structured by sealing a front panel (2) and a rear panel (1) with a supporting frame (22) at a predetermined interval, the front panel (2) having an electrode (8) and a phosphor (10) that serve to display an image, the rear panel (1) having an electron emitter (5 and 7) for emitting electrons (see column 3, lines 31-56), the method comprising: separating the rear panel (1) from the vacuum container (see column 7, lines 43-56); recovering the electron emitter on the rear panel (1) (see column 7, line 66 to column 8, line 13); and sealing again the rear panel (1) with the front panel (2) to thereby reconstruct the vacuum container (see column 8, lines 42-47).

However, Asano does not disclose a carbon compound exists in the electron emitter.

The Takeda reference teaches in Figure 3, a recycling method for an image display apparatus including: the electron emitter (9-a and 9-b) are formed from a carbon film for the purpose of prevent defects or failure of the electron-emitting element itself and greatly improve the production yield of electron sources and image-forming device.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have utilize the recycling method of Asano for the electron emitter of Takeda in order to prevent defects or failure of the electron-emitting element itself and greatly improve the production yield of electron sources and image-forming device.

Page 7

Regarding to claim 9, Takeda teaches in Figure 3, the electron emitter (9-a and 9-b) are formed from a carbon film for the purpose of prevent defects or failure of the electron-emitting element itself and greatly improve the production yield of electron sources and image-forming device and the reason to combine is the same as above.

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

The following prior art are cited to further show the state of the art of method of recycling an image display apparatus.

- U.S. Patent No. 5,827,102 to Watkins.
- U.S. Patent No. 6,632,113 to Noma.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dalei Dong whose telephone number is (571)272-2370. The examiner can normally be reached on 8 A.M. to 5 P.M..

Application/Control Number: 10/622,431

Art Unit: 2879

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Nimeshkumar Patel can be reached on (571)272-2457. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

D.D.

April 11, 2005

Joseph Williams Primary Examiner

Joseph William

Page 8

Art Unit 2879